

Supplement #23

84 Elm Street • Peterborough, NH 03458 USA
TEL (010)1-603-924-8818 • FAX (010)1-603-924-6348
Website: <http://www.softlanding.com> Email: techsupport@softlanding.com

TURNOVER® FOR ISERIES V100 FILES AND DATA AREAS

This document provides a list of important TURNOVER® for iSeries v100 files and data areas, with brief explanations of each one.

ABOUT TURNOVER® FOR ISERIES V100 FILES

If you are upgrading from an earlier release and you have used some of these files in programs you have written, you might have to revise your programs.

When you upgrade from a previous release of TURNOVER®, the installation conversion procedure allows you to convert the defaults and project information into a set of test libraries. This lets you check your setup under the new release while still using the old release for daily activity. When you're ready to commit to the new release, you reapply the upgrade to your daily libraries, converting all data to go live.

The table on the following pages shows each file in alphabetical order by name with a brief description of each.

TURNOVER® for iSeries v100 Files and Data Areas

File Name	Description	File Name	Description
ARCHIVE	Source Archive	TDTYPCM	Deploy FTP Type Code Commands
ARCHIVE2	Offline Archive	TEMPDSCF	Temporary Description
CHKAPPF	Check Application Definition Report	TEMPNAME	Temporary Name
QAUOOPT	PDM User-defined Option	TEXPLINF	Form Line Explode
TACTIONF	Object Action	TEXPLODF	Application Explode List
TAGOF	Approval Group Objects	TEXPLOGF	Export File Log
TAGOITMF	Approval Group Object Items	TEXPORTF	Export Inventory
TALOF	Approval List Objects	TFILTERF	Saved Filter
TAPPAUTF	Application Authority	TFIXLEVF	Fix Level
TAPPDFNF	Application Definition	TFKEYF	Customized F-Key
TAPPGRPF	Application Group Approval List	TFLFLTF	Form Log Filters
TAPPLF	Application	TFLROUTF	Document Checkout
TAPPLSTF	Application Approval List	TFLRTYPF	Application Document Types
TAPPMSGF	Form Completion Message	TFOLDERF	Form Document Line
TAPPNAMF	Approval List Object Item	TFORFUNF	Form Group Function
TAPPNMGF	Approval List Object Group Item	TFORLOGF	Form Log
TAPPPGMF	Application Notify Programmer	TFORMF	Form
TAPPRELF	Application Relationships	TFORM#F	Last Used Form#
TAPPROVF	Form Approval List	TFORMCMF	Form Comment
TAPPRSFF	Apply RSF Command Strings	TFORMLDF	Build Form
TAPPUSGF	Approval Group Object Group Users	TGROUFP	From Group
TAPPUSRF	Approval List Object Entries	TGRPFORF	Form Group Processing
	Remote Config Wizard Application	TJRNLOGF	Journaling Log
TAPSWRKF	Selection	TKEYPRTF	Keyword Protection
TARCUSG	Archive File Usage	TLANGF	Language
TAUDHSTF	Audit History Report	TLFMOVEF	LF Move Log
TBATBLDF	Reference Form Build in Batch	TLFMOV2F	LF Explode Log
TBATMANF	Worklist Batch Management	TLIBLF	Form Library List
TBUILDF	Form Build File Description		
TCATAUDF	Help Tree Category Number	TLIBLSTF	Library List Object
TCHKAPPF	Check Application Definition	TLINECMF	Form Line Comment
TCHKBATF	Check Batch Checkout Control	TLINEF	Form Line
TCHKITMF	Check Worklist Item	TLINECM	Form Line Comment
TCHKLSTF	Check Worklist	TLINETMF	Line Programming Time
TCMPARMS	Change Management Parameter Template	TLOCKF	Form Lock Check
TCODOMTF	Change Object Description Omit Objects	TLOGF	Form Log
TCOMMANF	Form (Pre/Post-Run) Command	TLSTPWLF	Last Programmer Worklist
TCONFLTF	Conflict Management		
TCONRSNF	Conflict Resolution Reason Code	TLSTVNDF	Last Vendor File Used
TCONTRNF	Conflict Transaction		
TCPYFORF	Form Copy Log		
TCPYLINF	Form Copy Line Sequencing Workfile	TMBRRPTF	Audit History Members Database
TCPYWRKF	Form Copy Selected Form Workfile	TMLTCHKF	Multiple Checkout Signoff
TCREATEF	Line Creation Command	TMSGF	Form Completion Message
TCVTLOGF	Type Code Conversion Log	TMSGIDF	Message ID
TCVTTYPF	Type Code Conversion	TNETDSTF	Network Method Override
TDAPPCM	Deploy FTP application commands	TNXTKEYF	Form command – Next Key
TDAPPSV	Deploy FTP applications	TOBJACTF	Object Action
TDATAEXF	*DATA Object Exception	TOBJARCF	Offline Object Archive
TDEPENDF	Form Dependency	TOBJCMPF	Object Compare
TDEPHSTF	Form Dependency History	TOBJRPTF	Audit History Objects Database
TDEVICEF	System Device	TOBJVERF	Object Version
TDFTF	Application Defaults	TOBJWRKF	Audit History Workfile
TDFTSRCF	Application Type Code	TOFFHSTF	Archived Source
TDISTF	Application Distribution Default	TOPERF	Authority
TDIST#F	Last Used Distribution #	TPGMAPP	Programmer Library Application Settings
TDISTHF	Distribution History	TPGMRF	Programmer Profile
TDLOG	Deploy FTP Job Log	TPGMUSRF	Programmer User-Defined Text
TDLTLOGF	Delta Log	TPRJADTF	Project Audit
TDLTNXTF	Next Delta	TPRJAUTF	Project Authority
TDLTOBJF	Delete Object Control	TPRJCATF	Timesheet Category
TDSERVE	Deploy FTP Servers	TPRJCMTF	Requester Comment
TDSRVCM	Deploy FTP Server Commands	TPRJCSSF	Wisedesk Category Search String
TDSTDFTF	Distribution Defaults	TPRJCTSF	Wisedesk Category Matching Task

TURNOVER® for iSeries v100 Files and Data Areas

File Name	Description	File Name	Description
TPRJDSCF	Project Details	TRCVDFTF	Application Receive Form Default
TPRJJDYNF	Project Dynamic Update	TRCVJOBFB	Receive Form Log
TPRJEMAF	Email Address	TRCVSLTF	Create Recovery Form Selection
TPRJEQCF	Escalation Queue Command	TRECOVEF	Delete Lib Error Log
TPRJEQDF	Escalation Queue Description	TREFBATF	Build Form in Batch Workfile
TPRJEQMF	Escalation Queue Message	TRESEQF	Workfile for Resequencing Form
TPRJEQTF	Escalation Queue Table	TRMTDSTF	Remote Application Distribution Log
TPRJESCF	Escalation Queue	TRMTROLF	Remote Rollback Control
TPRJHFPF	Project Help Tree Fastpath	TRMTUPDF	Remote Application Definition Update Log
TPRJHNCF	Wisedesk Next Category ID	TRQSTMPF	Select Requesters of Related Helpdesk Project
TPRJLNKF	Task Link	TRSFLOGF	RSF Log
TPRJMKDF	Project Details Mask Description	TRTNOBJDTA	Return Object Description Data
TPRJMSGF	Project Message	TSETXREF	X-Ref Defaults
TPRJMSKF	Project Details Mask	TSRCHSTF	Source Version Archive
TPRJOUTF	Project Outfile	TSRCOUTF	Checkout
TPRJMSF	Microsoft Project File Names	TSSTCODF	Form Status Codes
TPRJPRJF	Project	TSYNCHKF	Synchronizer Checklist
TPRJREQF	Requester	TSYNCLLF	Synchronizer Library List
TPRJRMDF	Project Report Mask Description	TSYNTIMF	Synchronizer Time Estimate
TPRJRMKF	Project Report Mask	TSYSTEMF	System Description
TPRJRSRF	Project Resource	TSYSWRKF	Remote Config Wizard System Workfile
TPRJRTYF	Requester Type	TTGSWRKF	Remote Config Wizard Target Sys Workfile
TPRJRUTF	Requester User-Defined Field	TTYPEF	Type Code
TPRJSTSF	Project Status Code	TTYPCONF	Type Code Conversion
TPRJCTCF	Wisedesk Category	TUSRCMMF	Change Management Scheme Methods
TPRJTIMF	Project Timesheet File	TUSRCMSF	Change Management Scheme
TPRJTREF	Wisedesk Tree	TUSRCPYF	User-defined Copy File Methods
TPRJTRSF	Task Relationships	TUSRDFTF	User-defined Type Code Parameters
TPRJTSKF	Task	TUSRMTHF	Change Management Method
TPRJTYPF	Task Type	TUSROPTF	User-defined Option
TPRJUDFF	Project User-defined Fields	TUSRTYPF	User-defined Object Type
TPRJUD1F	Valid values--Type 1	TVCADMFB	Vendor Changes Administrator
TPRJUD2F	Valid values--Type 2	TVCSFLTF	Vendor Changes Status Filter
TPRJUD3F	Valid values--Type 3	TVCSSTF	Vendor Changes Status Code
TPRJUD4F	Valid values--Type 4	TVNDAPPF	Vendor Application
TPRJURDF	User Report Parameter	TVNDBATF	Vendor Changes Batch Job Control
TPRJURHF	User Report	TVNDCHGF	Vendor Change
TPRJVAPF	Project Valid Application	TVNDHSTF	Vendor Change File History
TPRJVMKF	Project Valid Details Mask	TWLXOPTF	Worklist X-Ref Batch Option
TPRJVRMF	Project Valid Report Mask	TXRFDTAF	X-Reference
TPRJVRPF	Valid Related Projects	TXRFILTF	X-Reference Filters
TPRJVRSF	Valid Resources	TXRFLG2	X-Reference Library Build History
TPRJVSTF	Valid Status Codes	TXRFLOG	X-Reference Table Build History
TPRJWDAF	Wisedesk Authority	TXRFSYM	X-Reference ILE Symbols
TPRMDISF	PRMDISFORM Control File	TXRFUSGF	X-Ref Usage Code Text
TPWLDFTF	Programmer Worklist Session Defaults	UFILESM	MAC-PAC File
TPWLRELF	Worklist Related Applications Workfile		
TPWLXREF	Programmer Worklist X-Ref Workfile		

Miscellaneous files

The following files are located in the TURNOVER® for iSeries v100 Product Library, instead of the TURNOVER® for iSeries v100 Data library.

File Name	Description
DELTA	Source Compare Delta
TENVF	Environment Definitions
TEXITF	Exit Program Table
PTPFHSTF	PTF History File
TUSRENVF	User-environment File

ABOUT TURNOVER® FOR ISERIES V100 DATA AREAS

TURNOVER® for iSeries v100 uses data areas in a variety of ways. These TURNOVER® for iSeries v100 data areas reside in the TURNOVER® for iSeries v100 Data library (usually SOFTTURND), except for TAPEDATE, which resides in the product library (usually SOFTTURN).

To set and change data area settings on your system, use the **CHGDTAARA** command. To see current data area settings on your system, use the **DSPDTAARA** command.

The following list identifies some important TURNOVER® for iSeries v100 data areas.

Data Area	Description
AUTOAR	<i>TURNOVER® for iSeries v100 global default:</i> Set add/replace automatically (y/n)
BLDAP	Rebuild Abstract/Probe cross-reference
BLDHWK	Rebuild Hawkeye cross-reference
CASECMD	TURNOVER® for iSeries v100 Main menu option 12 (user-defined)
CHKFRMNUM	Form numbering thresholds and message frequencies (managed by the SETFRMROL command).
CMPPGM	Source compare exit program for Synchronizer
COLVLCHK	TURNOVER® for iSeries v100 global default: Level checking on checkout (y/n)
COMPNAME	TURNOVER® for iSeries v100 global default: Company name
DBRNOSRC	How to handle inserted LFs with no source
DISTSAVE	Distribution save time (*FORM or *DISTRIB)
DSTRANWRN	Automatically distribute forms that have a RAN-WRN status
DTORULE	Use the “Delete Test Object” rule
FINALQ	Finalization job queue
GENINFO	MS Project interface: Start position, search index name
GRPCHK	TURNOVER® for iSeries v100 global default: Allow group checkout (y/n)
INCLCK	Include related perm-lock levels
LODXREF	Load cross-reference exit program
MRGPGM	Source Merge exit program for Synchronizer
NAMESTD	Naming standard exit program
PGMRTIMSHT	Controls whether or not option 8=Pgming Time appears on Form Maintenance (Billable time in Task Defaults)
PWL36LIBL	Library list to use for Programmer Worklist opt 36
RCVJOB	Auto-receive job name
RCVJOBQ	Job queue for Auto Receives
RMVXREF	Remove cross-reference exit program
RTGDTA	Controls TOAUTORCV job’s RTGDTA
SENDPA	Send in passive mode (for FTP distribution)
SRCDATA	TURNOVER® for iSeries v100 data area for substitute source naming
SRVPGMXREF	Exclude *SRVPGM objects from cross-reference check
SYNDFTS	Synchronizer global defaults
TAPEDATE	Last tape date (Stored in library SOFTTURN)
TDFTDAYM	Time worked for day (in minutes)
TDFTWEEKM	Time worked for week (in minutes)

TURNOVER® for iSeries v100 Files and Data Areas

Data Area	Description
TDSTJOBQ	Distribution job queue
TDSTOLDFOR	Distribute old forms
TENDJRN	End journaling
TEXTPRCTYP	External stored procedure type code
TGAEONLY	Restrict access to apps to Graphical Application Designer (GAD) only
TGTRLS	TURNOVER® for iSeries v100 global default: Target release
TIMDEPSCH	Library used for CRTFILLIB on CRTTAATOOL of TIMDEPSCH
TLIB#	Maximum number of libraries allowed in a library list.
TNO2100	Retain Error Checking report format
TOCMPSRC	TURNOVER® for iSeries v100 compare source parameters
TOEXIT1	Form finalization processing exit
TOEXIT2	Pre-distribution form exit
TOEXIT3	Pre-distribution library exit
TOEXIT4	Receive of distribution exit
TOEXIT5	Determining source file names exit
TOEXIT8	Form initialization phase exit
TOEXIT9	Post-checkout exit
TOEXIT10	Manual check-in exit
TOEXIT11	Form completion processing exit
TOEXIT12	Add a line to TURNOVER® for iSeries v100 form exit
TOEXIT13	Pre-run error check exit
TOEXIT14	Pre-checkout processing exit
TOEXIT15	Add Programmer Worklist (PWL) item exit
TOEXIT16	Form approval exit
TOEXIT19	Pre-form group exit
TOEXIT20	Post-form group exit
TOEXIT21	Post-receive exit
TOEXIT22	Post add-line exit
TOEXIT23	Synchronizer create change impact file exit
TOEXIT26	Related forms creation exit
TOEXIT27	Remote Configuration Wizard pre-save exit
TOEXIT28	Remote Configuration Wizard post-receive exit
TOEXIT29	Form confirmation exit
TOEXIT30	Conflict resolution exit
TOEXIT31	Lock check exit
TOEXIT32	Change checkout exit
TOEXIT33	Application pre-checkin exit
TOEXITXN	Create command replacement variable exit
TOPROJ01	Timesheet exit
TOPROJ02	Escalation blackout date/time exit
TOPROJ03	Escalation blackout item exit
TOPROJ04	Task authorization exit
TOPROJ05	Task validation exit
TOEXITXREF01	Cross-reference exit 1: RPG source scan
TPROTECT	Protect parameter keyword
TROLLBACK	Rollback all systems default
TSAVDFTS	Distribution SAVLIB defaults
TSCHEMELIB	TURNOVER® for iSeries v100 Change Management Scheme Library
TURDS36	TURNOVER® for iSeries v100 global default: Manage S/36 objects
TURDUNIQ	TURNOVER® for iSeries v100 global default: Require unique names (y/n)

TURNOVER® for iSeries v100 Files and Data Areas

Data Area	Description
TURDVXRC	TURNOVER® for iSeries v100 view cross reference commands
TURNESCQ	TURNOVER® for iSeries v100 escalation queue delay interval
TURPGMR	TURNOVER® for iSeries v100 global default: Programmer check at check-in (y/n)
TURUSR	TURNOVER® for iSeries v100 global default: Submit user
XREFOVFLW	Cross-reference overflow threshold.

TURNOVER® for iSeries v100 Files and Data Areas

If you have any questions about the information in this document, please contact a UNICOM Systems, Inc. Technical Support Representative by phone, fax, or email at the locations shown at the beginning of this document.